


Appl. No. 10/644,207  
Amdt. dated March 18, 2005  
Reply to Notice of Non-compliant Amendment of March 7, 2005



IN THE UNITED STATES PATENT  
AND TRADEMARK OFFICE

Appl. No.: 10/644,207

Applicants: Kenneth W. Junk et al.

Filed: August 20, 2003

Title: "Method and Apparatus for  
Performing Diagnostics in a Control Loop  
of a Control Valve"


TC/A.U.: 2125

Examiner: Jayprakash N Gandhi

Att. Docket No.: 06005/38229A

) I hereby certify that this paper (or fee) is  
) being deposited with the United States  
) Postal Service, first class postage  
) prepaid, addressed to: Commissioner  
) for Patents, P.O. Box 1450, Alexandria,  
) VA 22313-1450.

) March 18, 2005

)   
) Brent E. Matthias  
) Reg. No.: 41,974

**RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**


Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Non-Compliant Amendment mailed on March 7, 2005,  
Applicants re-submit a corrected listing of the claims section.

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN LLP

By:   
Brent E. Matthias  
Reg. No.: 41,974  
Attorneys for Applicants  
6300 Sears Tower  
233 South Wacker Drive  
Chicago, Illinois 60606-6357  
(312) 474-6300

March 18, 2005